



EXHAUST VALVES

J-Series Exhaust Valves

Clippard's J-Series Exhaust Valve offers a variety of design features and provides fast response times and high flow with 1/8" and 1/4" NPT ports. This compact poppet type valve is constructed of brass and is 100% tested to assure the highest quality. The JEV's primary function is to increase cylinder speed. However, it also enables the use of smaller directional valves, longer control lines and can be used as a shuttle valve. 32 versions available.



Inlet Thread Size

2 - 1/8" NPT
4 - 1/4" NPT

Outlet Thread Type

M - Male Thread
F - Female Thread

Inlet Thread Type

M - Male Thread
F - Female Thread

Outlet Thread Size

2 - 1/8" NPT
4 - 1/4" NPT

Exhaust

N - Unthreaded Exhaust


J-Series Exhaust Valve

JEV - Inlet-to-Outlet 90° Orientation


JLEV - Inlet-to-Outlet In-line Orientation




Part No.
JEV-F2F2




Part No.
JEV-F2M4




Part No.
JEV-F2M2




Part No.
JLEV-F2M2-N




Part No.
JEV-F4M4



Part No.
JLEV-F4M4-N



Part No.
JEV-F4F4



Features

- Enables use of smaller control valves
- 15 to 150 psig maximum
- Male outlet offers direct connection to cylinder
- 36 scfm @ 50 psig and 58 scfm @ 100 psig
- Low shift ratio
- 7 standard configurations
- Custom configurations also available
- Brass construction with molded Nitrile seal

